EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1591	718/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:41
L2	1221	718/102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:41
L3	1608	713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:41
L4	290	(data adj processing) and (ordered adj list) and parallel and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L5	53	((data adj processing) and (ordered adj list) and parallel and @ad<="19990902") and (top with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L6	133	((data adj processing) and (ordered adj list) and parallel and @ad<="19990902") and ((top or start$4 or begin$4) with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L7	6	(insert and remove) same (ordered adj list) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L8	147	(display$4 or output$4) and (ordered adj list).ab. and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L9	19	(display$4 or output$4) and (ordered adj list).ti. and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33

EAST Search History

L10	18	((display$4 or output$4) and (ordered adj list).ab. and @ad<="19990902") and ((display$4 or output$4) with (top or start or begin$5 or front))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L11	10	((display$4 or output$4) and (ordered adj list).ab. and @ad<="19990902") and insert and remove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L12	8	((display$4 or output$4) and (ordered adj list).ab. and @ad<="19990902") and ((display$4 or output$4) with (top or start or begin$5 or front)) with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L13	8	((display$4 or output$4) and (ordered adj list).ab. and @ad<="19990902") and (((display$4 or output$4) with (top or start or begin$5 or front)) with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L14	4	(((display$4 or output$4) and (ordered adj list).ab. and @ad<="19990902") and (((display$4 or output$4) with (top or start or begin$5 or front)) with list)) and activity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L15	38	(display or outout) and (ordered adj list) and ((tracking or monitoring) with activity) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L16	1	((ordered adj list) and (track$4 or monitor$4) with activit$3).ab. and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L17	10	((ordered adj list) and (track$4 or monitor$4)).ab. and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L18	2	(((ordered adj list) and (track$4 or monitor$4)).ab. and @ad<="19990902") and remov$5 and insert$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33

EAST Search History

L19	2	((((ordered adj list) and (track$4 or monitor$4)).ab. and @ad<="19990902") and remov$5 and insert$4) and (display$4 or output$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L20	23	(maint$8 with (ordered adj list)).ab. and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L21	10	((maint$8 with (ordered adj list)).ab. and @ad<="19990902") and (track$4 or monitor$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L22	126	(maint$8 with (ordered adj list)) and (track$4 or monitor$4) and (insert$4 and (remov$4 or delet$4)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L24	354	(((display$4 or output$5) adj (latest or newest or current)) with (list or queue or stack or heap)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L25	180	((((display$4 or output$5) adj (latest or newest or current)) with (list or queue or stack or heap)) and @ad<="19990902") and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L26	2	((((display$4 or output$5) adj (latest or newest or current)) with activit$4 with (list or queue or stack or heap)) and @ad<="19990902") and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L27	21	(US-6349320-$ or US-6138123-$ or US-4890257-$ or US-6295534-$ or US-6470362-$ or US-6351754-$ or US-6253212-$ or US-6074299-$ or US-6249520-$).did. or (JP-63231543-$).did. or (US-4943968-$).did.	USPAT; JPO; DERWENT	OR	OFF	2006/05/12 16:33
L28	5	((US-6349320-$ or US-6138123-$ or US-4890257-$ or US-6295534-$ or US-6470362-$ or US-6351754-$ or US-6253212-$ or US-6074299-$ or US-6249520-$).did. or (JP-63231543-$).did. or (US-4943968-$).did.) and parallel	USPAT	OR	OFF	2006/05/12 16:33

L29	751	(ordered adj list) and (configur$6 with devices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L30	208	((ordered adj list) and (configur$6 with devices)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L31	116	(ordered adj list) and (configur$6 near3 devices) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L32	98	(ordered adj list) and (configur$6 near2 devices) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L33	4	(ordered adj list) same (configur$6 near2 devices) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L35	7921	(list and @ad<="19990902") and stack and top	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L36	123	((list and @ad<="19990902") and stack and top) and (insert with top)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L37	132802	configur$8 with devices	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L38	43348	(configur$8 with devices) and (list queue stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L39	9856	((configur$8 with devices) and (list queue stack)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33

EAST Search History

L41	59	((((configur$8 with devices) and (list queue stack)) and @ad<="19990902") and ((complet$4 remov$4 delet$4 pop$4) near3 (stack list queue))) and (configur$6 with devices).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L42	50	(((((configur$8 with devices) and (list queue stack)) and @ad<="19990902") and ((complet$4 remov$4 delet$4 pop$4) near3 (stack list queue))) and (configur$6 with devices).ab.) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L43	12	((((((configur$8 with devices) and (list queue stack)) and @ad<="19990902") and ((complet$4 remov$4 delet$4 pop$4) near3 (stack list queue))) and (configur$6 with devices).ab.) not international.as.) and (configur$6 with (start$4 begin$4 begun))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L44	25	(US-6349320-$ or US-6138123-$ or US-6119185-$ or US-5113522-$ or US-4890257-$ or US-6295534-$ or US-6470362-$ or US-6351754-$ or US-6253212-$ or US-6074299-$ or US-6249520-$).did. or (JP-63231543-$).did. or (US-4943968-$).did.	USPAT; JPO; DERWENT	OR	OFF	2006/05/12 16:33
L45	7	((US-6349320-$ or US-6138123-$ or US-6119185-$ or US-5113522-$ or US-4890257-$ or US-6295534-$ or US-6470362-$ or US-6351754-$ or US-6253212-$ or US-6074299-$ or US-6249520-$).did. or (JP-63231543-$).did. or (US-4943968-$).did.) and ((delet$4 remov$4) with (stack list))	USPAT	OR	ON	2006/05/12 16:33
L46	1	("6389447").PN.	USPAT; USOCR	OR	OFF	2006/05/12 16:33
L47	1	(("6389447").PN.) and (delet$4 remov$4 pop$4)	USPAT	OR	ON	2006/05/12 16:33
L48	0	(("6389447").PN.) and parallel	USPAT	OR	ON	2006/05/12 16:33
L49	0	(display$3 near5 (top near3 stack)) and "g06f$.ipc"	USPAT	OR	ON	2006/05/12 16:33
L50	52	(display$3 near5 (top near3 stack)) and g06f$.ipc.	USPAT	OR	ON	2006/05/12 16:33
L51	43	((display$3 near5 (top near3 stack)) and g06f$.ipc.) and list	USPAT	OR	ON	2006/05/12 16:33

L52	35	((((display$3 near5 (top near3 stack)) and g06f$.ipc.) and list) not international.as.	USPAT	OR	ON	2006/05/12 16:33
L53	29	(((((display$3 near5 (top near3 stack)) and g06f$.ipc.) and list) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L54	10	((((((display$3 near5 (top near3 stack)) and g06f$.ipc.) and list) not international.as.) and @ad<="19990902") and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L55	0	(((((((configur$8 with devices) and (list queue stack)) and @ad<="19990902") and ((complet$4 remov$4 delet$4 pop$4) near3 (stack list queue))) and (configur$6 with devices).ab.) not international.as.) and (display$3 near3 previous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L56	155	((((configur$8 with devices) and (list queue stack)) and @ad<="19990902") and (display$3 near3 previous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L57	144	(((((configur$8 with devices) and (list queue stack)) and @ad<="19990902") and (display$3 near3 previous)) not international. as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L58	19	(display$3 near3 previous) with (configur$6 near3 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L59	17279	((insert$3 push$3 enque$4 insert$3) near3 configuration) and device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L61	897	(((((insert$3 push$3 enque$4 insert$3) near3 configuration) and device) and g06f$.ipc.) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33

L62	253	(((((insert$3 push$3 enque$4 insert$3) near3 configuration) and device) and g06f$.ipc.) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L63	9	((display$3 near5 (top near3 stack)) and g06f$.ipc.) and (configurat$4 same devices)	USPAT	OR	ON	2006/05/12 16:33
L64	23	(display$3 near5 (top near3 stack)) and g06f$.ipc. and ((configuration configuring) with device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L65	2897	g06f$.ipc. and (((configuration configuring) with device) same (stack list queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L67	476	(g06f$.ipc. and (((configuration configuring) with device) with (stack list queue))) not international.as.	USPAT	OR	ON	2006/05/12 16:33
L68	309	((g06f$.ipc. and (((configuration configuring) with device) with (stack list queue))) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L69	635	g06f$.ipc. and (((configuration configuring) near3 device) with (stack list queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L70	189	(g06f$.ipc. and (((configuration configuring) near3 device) with (stack list queue))) not international.as.	USPAT	OR	ON	2006/05/12 16:33
L71	121	((g06f$.ipc. and (((configuration configuring) near3 device) with (stack list queue))) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L72	567	g06f$.ipc. and (((configuration configuring) near3 device) with (stack list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L73	162	(g06f$.ipc. and (((configuration configuring) near3 device) with (stack list))) not international.as.	USPAT	OR	ON	2006/05/12 16:33

EAST Search History

L74	106	((g06f$.ipc. and (((configuration configuring) near3 device) with (stack list))) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L75	72	g06f$.ipc. and (((configuration configuring) near3 device) with (stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L76	30	(g06f$.ipc. and (((configuration configuring) near3 device) with (stack))) not international.as.	USPAT	OR	ON	2006/05/12 16:33
L77	20	((g06f$.ipc. and (((configuration configuring) near3 device) with (stack))) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L78	1006	(determin$4 adj configuration) with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L79	51	((determin$4 adj configuration) with device) same (list stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L80	13	(((determin$4 adj configuration) with device) same (list stack)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L81	85	((determin$4 adj configuration) with device) and stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L82	35	(((determin$4 adj configuration) with device) and stack) not international.as.	USPAT	OR	ON	2006/05/12 16:33
L83	22	((((determin$4 adj configuration) with device) and stack) not international.as.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33

EAST Search History

L84	5723	(device near3 configur$) same (list queue stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L85	1200	((device near3 configur$) same (list queue stack)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L86	36009	(display$3) near3 status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L87	10872	((display$3) near3 status) and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L88	199	((display$3) near3 status) and (parallel with activities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L89	206	((display$3) near3 status) and (parallel with activit$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L90	21	(((display$3) near3 status) and (parallel with activit$)) and (display$3 with fail$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L91	9	(((((display$3) near3 status) and (parallel with activit$)) and (display$3 with fail$)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L92	113	(monitor$3 track$3 trac$3) with (display$3 with (previous and status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L93	39	((monitor$3 track$3 trac$3) with (display$3 with (previous and status))) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33

L94	4	(((monitor$3 track$3 trac$3) with (display$3 with (previous and status))) and @ad<="19990902") and (configur$ with device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L95	11178	(config$ with devices).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L96	17	((config$ with devices).ab.) and (display$3 near3 previous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L97	4	(((config$ with devices).ab.) and (display$3 near3 previous)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L98	4297	((config$ with devices).ab.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L99	289	(((config$ with devices).ab.) and @ad<="19990902") and (stack queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L100	109	(((config$ with devices).ab.) and @ad<="19990902") and (stack queue) and list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L101	107	((((config$ with devices).ab.) and @ad<="19990902") and (stack queue) and list) and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L102	13	(((((config$ with devices).ab.) and @ad<="19990902") and (stack queue) and list) and configuration) and ((track$3 monitor$3) near3 activities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L104	589	((config$ with devices).ti.) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33

L105	22	(((config$ with devices).ti.) and @ad<="19990902") and ((config$ near3 device) with (list stack queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L106	1	(((config$ with devices).ti.) and @ad<="19990902") and ((config$ near3 device) and (ordered adj list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L107	1	((US-6389447-$).did.) and device	USPAT	OR	ON	2006/05/12 16:33
L108	6	(top near3 stack) with (device adj config$)	USPAT	OR	ON	2006/05/12 16:33
L109	126	stack with (device adj config$)	USPAT	OR	ON	2006/05/12 16:33
L110	53	(stack with (device adj config$)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L111	13208	"710"/$.ccls. and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L112	454	("710"/$.ccls. and @ad<="19990902") and (config$ near3 (complet$3 finish$3 done))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L113	23	(("710"/$.ccls. and @ad<="19990902") and (config$ near3 (complet$3 finish$3 done))) and (config$ with stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L114	1	("6529964").PN.	USPAT; USOCR	OR	OFF	2006/05/12 16:33
L115	1	("5768542").PN.	USPAT; USOCR	OR	OFF	2006/05/12 16:33
L116	69	("710"/$.ccls. and @ad<="19990902") and ((config$ near3 device) with (list stack queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L117	38	(("710"/$.ccls. and @ad<="19990902") and ((config$ near3 device) with (list stack queue))) and ((insert$3 push$3 pop$4 delet$3 plac$3 add$3 enter$3) near3 (list stack queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33

EAST Search History

L118	26	("710"/$.ccls. and @ad<="19990902") and (configurations adj (list stack queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L119	22	((("710"/$.ccls. and @ad<="19990902") and (configurations adj (list stack queue))) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L120	8	(((("710"/$.ccls. and @ad<="19990902") and (configurations adj (list stack queue))) not international.as.) and (config$ near3 devices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L121	205064	config$ near3 device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L122	2817	config$ adj (stack list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L123	704	(config$ near3 device) and (config$ adj (stack list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L124	5	((config$ near3 device) and (config$ adj (stack list))) and (config$3 near (start$3 beg$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L125	1	(((config$ near3 device) and (config$ adj (stack list))) and (config$3 near (start$3 beg$6))) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L126	360	(configuration adj stack) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33
L127	60	((configuration adj stack) and @ad<="19990902") and (config$ with device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:33

EAST Search History

L128	1	(((configuration adj stack) and @ad<="19990902") and (config$ with device)) and "310"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L129	225	(configuration adj (list queue)) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L130	71	((configuration adj (list queue)) and @ad<="19990902") and (config$ with device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L131	51	(US-6249520-$ or US-6389447-$ or US-5430839-$ or US-6470362-$ or US-6349320-$ or US-6138123-$ or US-6119185-$ or US-6253212-$ or US-6074299-$ or US-6351754-$ or US-6457069-$ or US-4890257-$ or US-5113522-$ or US-6295534-$ or US-6658202-$ or US-6125408-$ or US-5991826-$ or US-5748980-$ or US-6349306-$ or US-5872928-$ or US-5592373-$ or US-5109484-$ or US-5056001-$).did. or (US-20030041088-$).did. or (JP-63231543-$).did. or (US-4943968-$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/05/12 16:34
L132	1	((US-6249520-$ or US-6389447-$ or US-5430839-$ or US-6470362-$ or US-6349320-$ or US-6138123-$ or US-6119185-$ or US-6253212-$ or US-6074299-$ or US-6351754-$ or US-6457069-$ or US-4890257-$ or US-5113522-$ or US-6295534-$ or US-6658202-$ or US-6125408-$ or US-5991826-$ or US-5748980-$ or US-6349306-$ or US-5872928-$ or US-5592373-$ or US-5109484-$ or US-5056001-$).did. or (US-20030041088-$).did. or (JP-63231543-$).did. or (US-4943968-$).did.) and (previous near3 device)	USPAT	OR	ON	2006/05/12 16:34
L133	9	(display$3 near3 (previous near configuration))	USPAT	OR	ON	2006/05/12 16:34

EAST Search History

L134	7	((display$3 near3 (previous near configuration))) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L135	1	(display$3 near (previous adj configuration))	USPAT	OR	ON	2006/05/12 16:34
L136	0	(display$3 adj ((previous before preceding earlier prior) adj configuration))	USPAT	OR	ON	2006/05/12 16:34
L137	7	(display$3 adj3 ((previous before preceding earlier prior) adj configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L138	284	((previous before preceding earlier prior) near3 (device adj configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L139	107	(((previous before preceding earlier prior) near3 (device adj configuration))) and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L140	100	((((previous before preceding earlier prior) near3 (device adj configuration))) and @ad<="19990902") not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L141	79	((previous before preceding earlier) near3 (device adj configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L142	72	(((previous before preceding earlier) near3 (device adj configuration))) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L143	38	(babka schwendima).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L144	3	L143 and list.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34

EAST Search History

L145	7496	aix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L146	204	aix with (boot process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L147	101	L146 and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L148	44	(aix with (boot process)) same (list stack queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L149	18	L148 and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L150	26	(US-20030041088-$).did. or (US-6253212-$ or US-6351754-$ or US-5872928-$ or US-6295534-$ or US-6249520-$ or US-6074299-$ or US-4890257-$ or US-6349320-$ or US-6470362-$ or US-6658202-$ or US-5056001-$ or US-5113522-$ or US-5592373-$ or US-6138123-$ or US-6119185-$ or US-5748980-$ or US-5109484-$ or US-5430839-$ or US-6389447-$ or US-6457069-$ or US-6349306-$ or US-6125408-$ or US-5991826-$).did. or (JP-63231543-$).did. or (US-4943968-$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/05/12 16:34
L151	1	L150 and aix	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/05/12 16:34
L152	8	L150 and boot$3	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/05/12 16:34

EAST Search History

L153	3312	(track$3 monitor$3) with boot$3	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/05/12 16:34
L154	0	L153 and L150	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/05/12 16:34
L155	0	(track$3 monitor$3) with boot$3 with aix	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/05/12 16:34
L156	25	L153 and aix	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/05/12 16:34
L157	7	L156 and @ad<="19990902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L158	0	L156 and @pd<="19980902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L159	924	L153 and @pd<="19980902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L160	0	L159 and aix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 16:34
L162	1	(US-6389447-$).did.	USPAT	OR	OFF	2006/05/12 16:34
L163	1	(US-6389447-$).did. and push$4	USPAT	OR	OFF	2006/05/12 16:34

EAST Search History

L164	26	(US-20030041088-$).did. or (US-6253212-$ or US-6351754-$ or US-5872928-$ or US-6295534-$ or US-6249520-$ or US-6074299-$ or US-4890257-$ or US-6349320-$ or US-6470362-$ or US-6658202-$ or US-5056001-$ or US-5113522-$ or US-5592373-$ or US-6138123-$ or US-6119185-$ or US-5748980-$ or US-5109484-$ or US-5430839-$ or US-6389447-$ or US-6457069-$ or US-6349306-$ or US-6125408-$ or US-5991826-$).did. or (JP-63231543-$).did. or (US-4943968-$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/05/12 16:34
L165	8	L164 and boot$3	US-PGPUB; USPAT	OR	OFF	2006/05/12 16:34
L166	0	L164 and (boot$3 with (track$3 monitor$3))	US-PGPUB; USPAT	OR	OFF	2006/05/12 16:34